

Intel OneAPI Workshop : FocusCoE

Intel[®] Distribution for GDB*

A Cross-Architecture Application Debugger

Alina Shadrina

alina.shadrina@intel.com

The Intel logo, consisting of the word "intel" in a lowercase, sans-serif font, with a small registered trademark symbol (®) to its upper right. The logo is positioned in the bottom left corner of the slide.

Agenda

System Requirements Overview

DPC++ Linux* Demo

C++: Debugging OpenMP* offload

Other Debug Capabilities

System Requirements Overview

Windows*

Language Support

Data Parallel C++ (DPC++)

C \ C++

Fortran

OpenMP

IDE Support

Microsoft Visual Studio 2017*

Microsoft Visual Studio 2019*

Microsoft Visual Studio 2022*

Visual Studio Code *

OS Support

Windows* 10, 64-bit

Windows* 11, 64-bit

GPUs

Intel® HD Graphics Gen9

Intel® Iris® Xe Graphics

CPUs


Intel® Core™ Processor family

Intel® Xeon® Processor family

Intel® Xeon® Scalable
Performance processors

FPGA

Emulation device only



Language Support

Data Parallel C++ (DPC++)

C \ C++

Fortran

OpenMP

IDE Support

Eclipse *

Visual Studio Code *

OS Support

Ubuntu* 18.x, 20.04

CentOS* 7

Fedora* 34

SLES 15

GPUs

Intel® HD Graphics Gen9

Intel® Iris® Xe Graphics

CPUs

Intel® Core™ Processor family

Intel® Xeon® Processor family

Intel® Xeon® Scalable
Performance processors

FPGA

Emulation device only



DPC++ Linux* Demo (Command Line)

Jacobi Sample

- Prerequisites:

- [Get Started Guide](#) to configure the debugger
- [array-transform](#) sample

- Clone [oneAPI-samples/Tools/ApplicationDebugger/jacobi/](#)

- `source /opt/intel/oneapi/setvars.sh`

Jacobi Sample

$$\begin{array}{rcc} & A & x = b \\ [5 & 1 & 1 & 0 & 0 & \dots & 0 & 0 & 0 & 0] & [1] & [7] \\ [1 & 5 & 1 & 1 & 0 & 0 & 0 & \dots & 0 & 0 & 0 & 0] & [1] & [8] \\ [1 & 1 & 5 & 1 & 1 & 0 & 0 & \dots & 0 & 0 & 0 & 0] & [1] & [9] \\ [0 & 1 & 1 & 5 & 1 & 1 & 0 & 0 & \dots & 0 & 0 & 0] & [1] & [9] \\ [0 & 0 & 1 & 1 & 5 & 1 & 1 & 0 & 0 & \dots & 0 & 0] & [1] = & [9] \\ [\dots] & & & & & & & & & & & & [\dots] & [\dots] \\ [0 & 0 & 0 & 0 & \dots & 0 & 1 & 1 & 5 & 1 & 1 & 0] & [1] & [9] \\ [0 & 0 & 0 & 0 & \dots & 0 & 0 & 1 & 1 & 5 & 1 & 1] & [1] & [8] \\ [0 & 0 & 0 & 0 & \dots & 0 & 0 & 0 & 0 & 1 & 1 & 5] & [1] & [7] \end{array}$$

linear system of equations

$$Ax=b$$

Where:

A : $n \times n$

b : $n \times 1$

x : $n \times 1$ – solution vector

Jacobi Sample on CPU

- **Build** `dpcpp -g -O0 jacobi-bugged.cpp -o jacobi-bugged.exe`
- **Run** `./jacobi-bugged.exe cpu`
- **Check output.** It indicates some bugs

```
fail; Bug 1. Fix this on CPU: components of  $x_k$  are not close to 1.0.  
Hint: figure out which elements are farthest from 1.0.
```

- **Open sources**
- **Run under the debugger:**

```
gdb-oneapi --args ./jacobi-bugged.exe cpu
```

Debugging on GPU

- `info inferiors` - to make sure you are on gpu now
- `info threads` - to inspect threads
- `thread 2.<Thread_number>:<SIMD_lane>` - switching between threads
- `info locals` - to print local threads variables
- `disassemble` - to see disassemble
- `set scheduler-locking step` - step to the next

Debugging OpenMP* Offload (C++)

Matmul build and run

■ Build:

- `icx -O0 -g -fiopenmp -fopenmp-targets=spir64 matmul_offload.cpp -o matmul_debug`

■ Disable device optimizations:

- `export LIBOMPTARGET_OPENCL_COMPILATION_OPTIONS="-g -cl-opt-disable"`
- `export LIBOMPTARGET_LEVEL0_COMPILATION_OPTIONS="-g -cl-opt-disable"`

■ Set up offloading:

- `export OMP_TARGET_OFFLOAD="MANDATORY"`

■ Debug:

- `gdb-oneapi ./matmul_debug`

Debugging OpenMP offload for Fortran is not supported yet!

Other Debug Capabilities

oneAPI Debug Tools and Variables

- Specified level of tracing for SYCL Plugin Interface:
 - `SYCL_PI_TRACE={1, 2, -1}`
- GPU backends:
 - Profiling Tools Interfaces for GPU (PTI GPU) - [Level Zero Tracer ze_tracer](#)
 - Intercept Layer for OpenCL - [How to Use the Intercept Layer for OpenCL™ Applications](#)
- OpenMP Offload: `LIBOMPTARGET_DEBUG`

Useful Links


■ Basic:

- [Documentation & Code Samples](#)
- [Intel® Distribution for GDB* Release Notes](#)
- [Intel® Distribution for GDB* System Requirements](#)

■ Advanced:

- [oneAPI Debug Tools at Intel® oneAPI Programming Guide](#)
- [Get Started with OpenMP* Offload to GPU for the Intel® oneAPI DPC/C++ Compiler and Intel® Fortran Compiler](#)

QUESTIONS?



Notices & Disclaimers

Performance varies by use, configuration and other factors. Learn more at www.Intel.com/PerformanceIndex.

Performance results are based on testing as of dates shown in configurations and may not reflect all publicly available updates. See backup for configuration details. No product or component can be absolutely secure.

Your costs and results may vary.

Intel technologies may require enabled hardware, software or service activation.

Intel does not control or audit third-party data. You should consult other sources to evaluate accuracy.

© Intel Corporation. Intel, the Intel logo, Xeon, Core, VTune, OpenVINO, and other Intel marks are trademarks of Intel Corporation or its subsidiaries. Other names and brands may be claimed as the property of others.

intel®